







JSP Limited, Worsham Mill, Minster Lovell, Oxford, OX29 0TA
Telephone:+44 (0)1993 824000 Fax:+44 (0)1993 824422 Sales Fax:+44 (0)1993 824411 Web: http://www.jsp.co.uk

DECLARATION OF CONFORMITY TO EC DIRECTIVE 89/686/EEC THE PERSONAL PROTECTIVE EQUIPMENT DIRECTIVE

JSP Ltd declare that the:

INVINCIBLE Evo 3 INDUSTRIAL SAFETY HELMET complete with LINESMAN HARNESS

meets the health and safety requirements of the PPE Directive 89/686/EEC.

The product has been tested to and meets the requirements of the EN397:2012+A1:2012, EN50365:2002 and ANSI Z89.1-2009.

The helmet is available with vented and unvented versions. The unvented version has also been tested to the optional Electrical insulation requirements of EN397 Clause 5.2.3 and ANSI Z89.1-2009 clause 9.7 as a Class E helmet.

The product was tested at BSI product services during August & September 2011 and by Intertek in February 2012.

The Technical Files for the product and its associated accessories and replacement parts have been assessed by the notified body, BSI Product Services (0086), Maylands Avenue, Hemel Hempstead, Hertfordshire, HP2 4SQ, United Kingdom, and placed on CE Type Examination Certificate number 0279.

The Invincible Evo3 industrial Safety Helmet has been designed and tested to the requirements of EN397:2012, EN50365:2002 and ANSI Z89.1-2009. Production and testing of Safety Helmets is carried out under a registered BS EN ISO 9001:2008 Quality System. In addition the non-vented version of the Invincible Evo 3 industrial Safety Helmet is subject of the procedure set out in Article 11B of Directive 89/686/EEC under the supervision of BSI product services.

Testing is carried out in JSP Ltd's Quality Assurance Laboratory in accordance with procedures lain down in EN 397:2012 and ANSI Z89.1-2009. All equipment used for this testing is calibrated, with calibration traceable to National Standards.

27th August 2013

MATTHEW JUDSON, B.Eng(Hons). Director - Technical Support Division for and on behalf of JSP Ltd.

EVO3® LINESMAN MICRO PEAK - WHEEL RATCHET - NON-VENTED

TECHNICAL **SPECIFICATION**

HEAD PROTECTION

SHELL: UV Stabilised High Density Polyethylene (HDPE)

PRODUCT CODE: AJG240-00 - 00

EVO3® IS A TRUE EVOLUTION OF THE LONG ESTABLISHED MK2® & MK3® HELMETS

INSTRUCTIONS FOR USE

Fit helmet on head and fasten strap to ensure fit

For adequate protection this helmet must be worn with peak facing forward

Ensure the helmet is adjusted to the size of the user's head

CHAMLON™ SWEATBAND:

Egyptian cotton core with porous PU coating for maximum sweat absorption. PH neutral, dermatologically tested

WEBBING HARNESS: HDPE Strap & Webbing Clips with Polyester Webbing Straps



WHEEL RATCHET:

The Revolution® Wheel Ratchet RE is the new easy to use wheel ratchet adjustment system to create a firm comfort fit with added security







CLEANING & MAINTENANCE

The unit may be cleaned with soap and warm water and dried with a soft cloth

The helmet should not be cleaned with chemical or abrasive

The helmet should be stored out of direct sunlight

The helmet should be stored away from chemicals and extremes of temperature

CONFORMITY

Conforms to EN397, EN50365 & ANSIZ89

EN 50365 for Helmets for use in low voltage installations

EC Certificate Number 00279, issued by BSi Product Certification

Meets the retro reflective performance requirements of EN12899 when fitted with CR2 Reflective Kit

Meets optional Molten Metal Splash performance

Meets optional Electrical Insulation requirements

Available vented or unvented. Available with mid or micro peak

Company personalisation available by printing

















EVO3® LINESMAN MICRO PEAK - WHEEL RATCHET - NON-VENTED

TECHNICAL **SPECIFICATION**

HEAD PROTECTION

Yes

10

Yes

Yes 50 Joules

EN397 440v EN50365 1000v

PRODUCT CODE: AJG240-00 - 00

EVO3® IS A TRUE EVOLUTION OF THE LONG ESTABLISHED MK2® & MK3® HELMETS

DIMENSIONS OF OUTER PACKAGING

Quantity: 10

Weight: 3.8kg (Approx.)



HEIGHT:

450mm

DIMENSIONS OF HELMET

Size: 530 - 640mm

Weight: 375g (Approx.)



HELMET COLOURS

Insert the following two digit number in place of the dashes in the product code of your desired helmet



LIMITATIONS OF USE

HELMET FEATURES

EN50365

-40°C

HDPE

HDPF

LDPE

Textile

Recyclable

UV Stabilised

Impact Resistance

Electrial Insulation

Molten Metal (MM)

Universal Accesories Reflective CR2 option

Integrated Eyewear

Micro Peak

Wheel Ratchet

JSP 3D

6 pts

4 pts

Front

Rear

Side

MOQ Logo

Individual Name

STANDARD

PERFORMANCE

TEMPERATURE

RESISTANCE

SHELL

MATERIAL

HARNESS

MATERIALS

OPTIONS

HARNESS

SYSTEM OPTIONS

CHINSTRAP

OPTIONS

Protection will only be offered if the helmet is fitted correctly

Any helmet subjected to severe impact should be replaced immediately. Do not apply paint, solvents or adhesive labels except in accordance with instructions from the manufacturer

The harness, when in contact with the skin may cause allergic reactions to susceptible individuals. If this occurs leave the hazard area, remove the helmet and seek medical advice

The attention of users is also drawn to the dangers of modifying or removing any of the original component parts, other than as recommended by the manufacturer





















JSP Limited, Worsham Mill, Minster Lovell, Oxford, OX29 0TA

Telephone: +44 (0)1993 824000 Fax: +44(0)1993 824422 Sales Fax: +44 (0)1993 824411 Web: http://www.jsp.co.uk

DECLARATION OF CONFORMITY TO EC DIRECTIVE 89/686/EEC THE PERSONAL PROTECTIVE EQUIPMENT DIRECTIVE

JSP Ltd declare that the:

EVOLite[®] Linesman (Also known as AJC2*0-00*-***)



meets the Health and Safety requirements of the PPE Di rective 89/686/EEC. The product has been tested to and meets the requirements of the BS EN 397:1995 and EN50365: 2002. The helmet is available with Vented and Unvented ver sions. The Unvented version has also been tested to the optional Electrical Insulation requirements (Clause 5.2.3).

The product was tested at BSI Product Services during October 2010.

The Technical Files for the product and its associated accessories and replacement parts have been assessed by the notified body, BSI Product Services (0086), Kitemark House, Maylands Avenue, Hemel Hempstead, Hertfordshire, HP2 4SQ, United Kingdom, and placed on CE Type Examination Certificate number 0279.









OXFORD, ENGLAND

JSP Limited, Worsham Mill, Minster Lovell, Oxford, OX29 0TA

Telephone: +44 (0)1993 824000 Fax: +44(0)1993 824422 Sales Fax: +44 (0)1993 824411 Web: http://www.jsp.co.uk

The EvoLite[®] Linesman Industrial Safety Helmet has been designed and tested to the requirements of BS EN 397:1995, the Industrial Safety Helmet Standard. Production and testing of Safety Helmets is carried out under a registered BS EN ISO 9001:2008 Quality System. In addition the unvented version of the EvoLite[®] Linesman Industrial Safety Helmet is the subject of the procedure set out in Article 11B of Directive 89/686/EEC under the supervision of BSI Product Services. Testing is carried out in JSP Ltd's Quality Assurance Laboratory in accordance with procedures laid down in BS EN 397:1995. All equipment used for this testing is calibrated, with calibration traceable to National Standards.

6/7/2011

MATTHEW JUDSON, B.Eng(Hons)., ACQI. Director - Respiratory and Technical Support Division for and on behalf of Ltd.