

NOBY1 Helmet for Structural Fire-Fighting

- Meets Standards EN 443:2008, EN 14458:2004 for helmets and visors, for both including all optional requirements and best performances.
- Ergonomic design assures:
 - Extended protected area
 - Heat and hearing sensitivity
 - Excellent comfort when Visors in use
- Suitable for 3rd party PPE products (masks, torches, communication systems etc.)



MOBY1 HELMET FOR STRUCTURAL FIRE-FIGHTING

Certifications and approvals of helmets

Standard: EN 443:2008

"Helmets for fire fighting in buildings and other structures"
Protected area: Type B3b

- Low temperature conditioning: 30°
- Resistance to liquid chemicals: C
- Electrical insulation of wet helmet: E2
- Electrical insulation of helmet surface: E3
- Size range: from cm. 52 to 64

Standard DIN 67510-1:2002

"photoluminescent pignments and products – Part 1. Measurement after glowing characteristics and marking at the producer" (helmet colour 44 lumen mint only)

Certifications and approvals of shields of helmets

Standard: EN 14458:2004

"Faceshield and visors for use with firefighter's and high performance industrial safety helmets used by firefighter's, ambulance, and emergency services"

- Optical class 1
- Visor for firefighter's use
- Ultraviolet protection:
- 3-1 2 for clear shield 2-4 for gold mirrored shield
- Extremis of temperature: 40° + 120°
- Resistance to high energy impact at extremis of temperature (AT)
- Resistance to abrasion (K)
- Resistance to fogging (N)
- Electrical properties (Ω)
- For gold mirrored face shield only:
- Infrared protection (4-5)
- Enhanced infrared reflectance R
- Enhanced colour recognition (4C)


COLOURS




(without accessories)

Moby1 with face visor: 1.500 grms \pm 50 Moby1 with face visor and eye visor: 1.650 grms \pm 50





External Knob for size adjustment system (patented). No interference with neck protector. Easy to use even when wearing firefighting gloves. The required setting can be changed depending on the operation (tight for extreme situation, looser in less dangerous conditions.





OPTION



Available:

- Integral neck curtain
- Aramide neck curtain
- Aluminised neck curtain



Adjustable antistatic net cradle

OPTION



Accomodates communicatio (systems supp available on r



Lining with comfort soft pad (detachable washable and replaceable)





Internal flame arrester

OPTION Golden front plate (personalized on request)

Integrated and swivel eye shield (de-pending on model) with grip tab both side, OPTICAL CLASS 1 with ultraviolet protection and resistant to:

- high energy impact (AT), abrasion (K)
- fogging (N)



Retractable face shield clear or gold mirrored (depending on model), OPTICAL CLASS 1,ultraviolet protection, resistant to: • high energy impact (AT),

- abrasion (K) fogging (N)
- for gold mirrored shield only:
- infrared protection (4-5)
- enhanced colour recognition (4C)
 - enhanced infrared reflectance (R)



third party n systems oorted equest)



Torch holders support (detachable)



Adjustable fire proof trapezoidal chinstrap/neck-strap with leather chin-cup

NA: M.6 – NOVEMBER 2015 /ITHOUT PRIOR NOTICE

MOBY1 HELMETS				
Code	Description			
512XX	Moby1 helmet, direct injected shell, with neutral eye visor and gold face shield with 2 torch holders and its attachment, protective bag XX = 01 Bleu royal, 02 White, 05 Red, 06 Black, 07 Yellow, 08 Green, 10 Orange, XX = 44 Lumen mint (photoluminesent) XX = 55 Chrome plated			
511XX	Moby1 helmet, direct injected shell, with neutral eye visor and neutral face shield with 2 torch holders and its attachment, protective bag XX = 01 Bleu royal, 02 White, 05 Red, 06 Black, 07 Yellow, 08 Green, 10 Orange, XX = 44 Lumen mint (photoluminesent), XX = 44 Lumen mint (photoluminesent), XX = 55 Chrome			
501XX	Moby1 helmet, direct injected shell, with neutral face shield with 2 torch holders and its attachment, protective bag XX = 01 Bleu royal, 02 White, 05 Red, 06 Black, 07 Yellow, 08 Green, 10 Orange XX = 44 Lumen mint (photoluminescent) XX = 55 Chrome			

ACCESSORIES			SPARE PARTS	
Code	Description	Code	Description	
50001	Shell cleaner	600020	Neutral eye visor	
50002	50002 Screen cleaner		Neutral face shield	
50003	50003 Frontal spacing pad (for wearers of spectacles)		Gold mirrored face shield	
50004	50004 Aramide neck curtain		Set stopper for face shield	
50005	50005 Aluminised neck curtain		Nape plate	
50006	50006 Integral neck curtain		Pad for nape plate	
50007	50007 Set retroreflective stickers 3M Silver		Shock absorbing shell	
50008	Set retroreflective stickers 3M Yellow	600031	Comfort lining	
50009	Set retroreflective stickers 3M Orange	600043	Protective bag	
50021	Frontal Gold plate	600060	Size adjustment knob with + adaptor and screw set	
		600125	Set front gold plate with self-tapping screws for Moby1	
		600130	Set rubber flame guard with glue for Moby1	
		600131	Set gas mask attachments (left and right) with screws set for Moby1	
		600133	Inner shell with screws set for Moby1	
		600136	Internal bands (right and left) with cheek pad + screws set for Moby1	
		600137	Securing device with chinstrap and chinguard + screws for Moby1	
		600138	Set stopper for eye visor for Moby1	

LEGEND MOBY1 HELMETS					
Class	With/Without eye visor	Colour face shield	Colour shell		
А	В	С	XX		
5 = MOBY1	0 = Without	1 = Neutral	01=Royal blue, 02=White, 05=Red, 06=Black, 07=Yellow, 10=Orange,		
	1 = With	2 = Gold 4/5	08=Green, 44=Lumen mint (photoluminescent), 55=Chrome plated		

600139

600140

600141

Connectors for assembling of visors per Moby1

Headband with net for Moby1

Torch holders and its attachment + screw for Moby1

LEGEND ACCESSORIES	AND SPARE PARTS	
LEGEND ACCESSORIES	AND SFARE FARTS	

Product	Number
A	BCDE
5 = Accessories	ID
60 = Spare parts	ID



DNA S.R.L. Via Romolo Murri, 21 - 48124 Ravenna (Ra) ITALY Phone 0039/(0)544/500917 - Fax 0039/(0)544/239900 www.dnasafetyfirst.it - info@dnasafetyfirst.it Vat: IT02083100392