

# Full Face Mask TR 2002 S CL3 Mod. P/N 113080000

5

Full Face Mask, Negative Pressure, with threaded connector to EN 148-1 made of:

- Face blank with double revert seal, ergonomic and bellows-like
- · Visor, panoramic and wide visibility
- Group that holds in one single body the exhale membrane, the gasket/valve holder and the exhale membrane
- Inner nose cup
- · Head harness, five arms
- Neck strap

The mask can be used with:

- Negative pressure devices provided with the same threaded connector to EN 148-1, such as filters, air lines, PAPRs etc.
- SPASCIANI series 2000 twin cartridges, mounted on the DUPLA adaptor P/N 157900000



## **TECHNICAL DATA:**

#### **Breathing Resistance**

•				
Test flow	Inhalation mbar		Exhalation mbar	
	Standard Max	Measured	Standard Max	Measured
25 cycles/min x 2 l/cycle	2.5	1.3	3.0	1.8
30 l/min	0.5	0.15		
95 l/min	1.5	0.60		

# **Inward Leakage**

Test Aerosol	Max admitted	Measured Penetration %	
	inw. leakage %	(10 subjects average)	
NaCl	0.05	0.0013	

#### Limitations for use

The mask cannot be used with Positive Pressure devices fitted with standard connector to EN148-3 nor with other non compatible devices.





# Full Face Mask TR 2002 S CL3 Mod. P/N 113080000



#### **CLASSIFICATION**

Full Face Mask, Class 3 to EN 136:1998 and Directive 89/686/EEC (PPE).

#### **MARKING**

 $\epsilon$ 

#### **MATERIALS**

Face Blank: Silicone

Visor: Polycarbonate scratch and solvent resistant

Head harness: EPDM
Nose Cup: TPE
Neck strap: PVC

## **STORAGE**

Store at temperatures between -20 and +50 °C and RH <80%

#### **WEIGHT**

630 g (1,39 lb) approximately

## **DIMENSIONS/PACKAGING**

The mask is delivered in a PE bag into a single carton, dimensions 250x190x140 mm. Masks come in a multiple 6 piece carton, dimensions 510x440x210 mm.

For more information please check the notes along with the products or the ones published on the website: www.spasciani.com

NOTE: SPASCIANI SpA does not take any responsibility for any possible and unintentional mistake and reserve the faculty of modify materials and technical characteristics of its products at any time and without any notice.

